Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1608	(482/1-9).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 14:09
S2	4	S1 and seesaw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/10 17:55
S3	281	balance adj board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR `	ON	2006/08/10 17:55
S4	695	S1 and (foot or feet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 17:55
S5		S3 and (motor or drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 18:02
S14	4080	(balance adj weight) with (shaft or rod or axle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:22
S15	4686	(balance adj weights) with (shaft or rod or axle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:23
S16	22001	"482".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:23

S17	18	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:23
S18	39	(US-7004895-\$ or US-6176817-\$ or US-5368535-\$ or US-4638996-\$ or US-3911907-\$ or US-5941807-\$ or US-6280368-\$ or US-5582561-\$ or US-5807210-\$ or US-4705028-\$ or US-RE32150-\$ or US-4151839-\$ or US-5987982-\$ or US-6663498-\$ or US-5632689-\$ or US-5820478-\$ or US-5632689-\$ or US-5431406-\$ or US-3633918-\$ or US-3639923-\$ or US-5944615-\$ or US-528782-\$ or US-5460379-\$ or US-4875684-\$ or US-4637607-\$ or US-6846275-\$). did. or (US-5925000-\$ or US-5271416-\$ or US-4986534-\$ or US-4502680-\$ or US-463946-\$ or US-6848527-\$ or US-6568340-\$ or US-6419586-\$ or US-6848124-\$ or US-4703928-\$ or US-4684124-\$ or US-4640508-\$).did. or (DE-4004554-\$).did.	USPAT; EPO	OR	ON	2006/08/15 11:30
S19	13	S18 and gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:43
S20	41881	gear with ((noise or friction) and (rod or shaft))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:44
S21	69	S20 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:44
S22	11982	gear with noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:10

				1	,	
S23	3591	gear with noise with (reduction or reduce)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:10
S24	2152	S23 and (gear with (shaft or rod))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:12
S25	852	S23 and (gear with (shaft or rod))	USPAT	OR	ON	2006/08/16 14:45
S26	0	S23 and ((gear with (shaft or rod)) with joint adj member)	USPAT	OR	ON	2006/08/16 14:45
S27	43	(US-5941807-\$ or US-5528782-\$ or US-3639923-\$ or US-4703928-\$ or US-5431406-\$ or US-5632689-\$ or US-6663498-\$ or US-6280368-\$ or US-5271416-\$ or US-4875684-\$ or US-5368535-\$ or US-4463946-\$ or US-5582561-\$ or US-6176817-\$ or US-4502680-\$ or US-5893425-\$ or US-4638996-\$ or US-8E32150-\$ or US-4638996-\$ or US-4705028-\$ or US-4637607-\$ or US-4705028-\$ or US-4637607-\$ or US-4986534-\$). did. or (US-3633918-\$ or US-5925000-\$ or US-4684124-\$ or US-5925000-\$ or US-58672150-\$ or US-5683306-\$ or US-5820478-\$ or US-6568340-\$ or US-5820478-\$ or US-6445498-\$ or US-5888175-\$ or US-6445498-\$ or US-6440030-\$ or US-6162125-\$).did. or (DE-4004554-\$).did.	USPAT; EPO	OR	ON	2006/08/16 14:53
S28	6	S27 and cam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 15:01
S29	31	S27 and bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 15:07

S30	859	(482/106-108).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 15:08
S32	23	S30 and (cam with (shaft or rod))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 15:14
S33	180	adjustable with dumbbell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/08/16 15:14